



EkotechLAB Marek Klein S.K.A.
TaxID: PL 9571141572
Fiszera 14, 80-231 Gdańsk, Poland
E-mail: biuro@ekotechlab.pl
tel. +48 58 380 01 50
www.cannalabs.pl



Gdansk, 2022-06-10

AB 1755

CERTIFICATE OF ANALYSIS No. S/CL/812a/22

Customer	Dr. Hemp Me 51 Bracken Road Sandyford Dublin D18 CV48		
Basis for analysis order number, contract number	Subject of analysis sample matrix	Condition of samples correct / incorrect - according to I-01/PO-03 instruction	
Z/CL/812/22	Vegetable/animal oil - product with the addition of hemp	Correct	
Place of sampling according to the Customer's information	Date of sampling according to the Customer's information	Date of samples' delivery to the laboratory	Analysis completion date
No data	No data	08.06.2022	10.06.2022
Analyses conducted by:		Additional information	
EkotechLAB R&D Laboratory Fiszera 14, 80-231 Gdańsk, Poland		None	

Samples identification:

No.	Sample labeling by Customer	Sample labeling by Laboratory
1.	310510/1/2022	1727/22

Results:

No.	Sample code	Subject of determination	Method*	Result **	Unit
1.	1727/22	CBD	PB-CL-1:2021 issue.1 from 01.07.2021/HPLC/ A	10.49	% (m/m)
2.		CBDA	PB-CL-1:2021 issue.1 from 01.07.2021/HPLC/ NA	<0.01	% (m/m)
3.		Δ9-THC	PB-CL-1:2021 issue.1 from 01.07.2021/HPLC/ A	0.16	% (m/m)
4.		Δ9-THCA	PB-CL-1:2021 issue.1 from 01.07.2021/HPLC/ A	<0.01	% (m/m)
5.		CBC	PB-CL-1:2021 issue.1 from 01.07.2021/HPLC/ A	0.26	% (m/m)
6.		CBGA	PB-CL-1:2021 issue.1 from 01.07.2021/HPLC/ A	<0.01	% (m/m)
7.		CBG	PB-CL-1:2021 issue.1 from 01.07.2021/HPLC/ NA	0.41	% (m/m)
8.		CBDV	PB-CL-1:2021 issue.1 from 01.07.2021/HPLC/ A	0.05	% (m/m)
9.		CBN	PB-CL-1:2021 issue.1 from 01.07.2021/HPLC/ A	<0.01	% (m/m)
10.		Sum of CBD and CBDA	PB-CL-1:2021 issue.1 from 01.07.2021/HPLC/ NA	10.49	% (m/m)
11.		Sum of Δ9-THC and Δ9-THCA	PB-CL-1:2021 issue.1 from 01.07.2021/HPLC/ A	0.16	% (m/m)
12.		Sum of cannabinoids	PB-CL-1:2021 issue.1 from 01.07.2021/HPLC/ NA	11.37	% (m/m)

* The method No. assigned according to the formula: No. of test procedure / issue / date issued / analytical technique / A - accredited, NA - not accredited, P - performed by the subcontractor

Joanna Klein
mgr inż. Joanna Klein
Kierownik ds. jakości
ekotechLAB

Prepared by: MSc. Ewelina Nowak
Instrumental Analysis Specialist

Authorized by: MSc. Eng. Joanna Klein
Quality Manager

** The measurement uncertainty is expressed at the customer's request, or when it is relevant for the interpretation of the results - as the expanded uncertainty at the probability level of 95% and the coverage factor k = 2, the given uncertainty does not include the sampling stage. The laboratory is not responsible for the sampling and transport stage. Without the written consent of the Laboratory, the test report may not be reproduced except in full. The results relate to the delivered samples only. The period for submitting a complaint is 14 days from the date of receipt of the report.

THE END OF REPORT